/stic-transhome.htm PTO 2003-3666 S.T.I.C. Translations Branch THE OUL 4 SEPARA *U. S. Serial No. : *Requester's Name: Art Unit/Org.: Office Location: _ Is this for the Board of Patent Appeals? Date of Request: _ *Date Needed By: (Please indicate a specific date) Document Identification (Select One): Note: If submitting a request for patent translation, it is not necessary to attach a copy of the document with the request. If requesting a non-patent translation, please attach a complete, legible copy of the document to be translated to this form and submit it at your EIC or a STIC Library *Document No. · Translations Branch Patent $\int \mathcal{B} \mathcal{O}$ The world of foreign prior art to you *Country Code *Publication Date Translations *Language (filled by STU No. of Pages_ *Author Article Foreign Equivalent Patents *Language Searching *Country *Type of Document Other *Country *Language To assist us in providing the most cost effective service, please answer these questions: Will you accept an English Language Equivalent?_ (Yes/No) Would you like to review this document with a translator prior to having a complete written translation? (Translator will call you to set up a mutually convenient time)_ (Yes/No) Would you like a Human Assisted Machine translation? Human Assisted Machine translations provided by Derwent/Schreiber is the default for Japanese Patents 1993 onwards with an Average 5-day turnaround. Average 5-day turnaround. STIC USE ONLY Translation Copy/Search Date logged in: PTO estimated words: Date assigned: 5/ Number of pages: -Date filled: . In-House Translation Available: Equivalent found: (Yes Contractor: In-House Name: Translator: Priority: Assigned: Sent: Returned: Returned:

Translation

SPE Signature Required for RUSH

STIC Tr	ranslation Branc	m 2C15 http://ptowet/paten	PTO 2003-,	3667	į ,
		c	S.T.I.C. Translations Branc		,
Informatio	on in shaded areas ma	arked with an * is requ	09174767	U	1
*U. S. Se	erial No. : 01/	1944,032	01/1		-1
	7	61//1/	/ · P.h	igne No.: 308-0	051
*Reques	ter's Name:	3.411 A	rt Unit/Org. : 764.	3	
Office L	ocation: <u></u>		7		
Date of I	Request: ———		My of		•
	eeded By:		103		
	icate a <u>specific date</u>)				
	. I least Grantian	(Salaat One):			
Note: If sub	ent Identification	translation, it is not necessary to atta	ich a copy of the document with the	he request.	EIC or a
3 If requesting	a non-patent translation, pie	translation, it is not necessary to atta ease attach a complete, legible <u>copy</u>	of the document to be translated to		
STIC Library	7	LD	55-10723	•	
1	Patent	*Document No. *Country Code	TIMON " (DO)	Translations B	ranch
		*Publication Date		Translations B. The world of foreign pr	ior are to you
		*Language	CAPAL	Translations	•
4	No. of Page	es(filled l	by STIQ)		
2	Article	*Author		Equivalent	Foreign Patents
,		*Language *Country		Searching	r atents
σ	× ≈×	"Country			
03.5	Other Other	*Type of Documen	t		
111 5-	35	*Country			•
	ES I	*Language			
RECEIVI BY27 PM			Garina carnica, nlause u	nswer these questions:	
		providing the most cost e	***************************************		
	Will you accept an E		(Vac/Na)		lation?
- C-	Wanted you like to re	nglish Language Equivaler view this document with a set up a mutually convenient time)	translator prior to having	a complete written trans	
· >	(Translator will call you to Would you like a Hu	man Assisted Machine tra	nslation? (Ye	es/No)	ards with an
	Human Assisted Machin	ie translations provided by Derv	vent/Schreiber is the default to	or Japanese Faterits 1999 on the	
	Average 5-day turnarou	nd. CCI			***************************************
STIC I	USE ONLY				17
Copy/S			Translation Date logged in	5.17.	11
Process	or: 7H	<u> </u>	PTO estimate	d words:	2700
Date as	signed: 5/21/0		Number of pa	ges: nslation Available:	
Equival	lent found: (Yes/No)		In-House Trai	Contractor:	1
Doc N	0: 5504072	3	Translator:	O	150
Country	V To so Brown		Assigned: Returned:	 Priority: Sent:	5.18.03
U	Nest pears	h attached	Returned.	Returned:	6/13/03
	irə)				
Sea	arch and Information				USPTO
Res	sources Administration				